

# CONTACTLESS TICKET VALIDATOR

FLOWNEX CTV-LITE

## Features

- ▶ High Resolution Colour Graphical Display
- ▶ Fully Programmable User Interface
- ▶ Multi-language Support
- ▶ Internal GNSS & 4G-LTE Modules
- ▶ EMV Level 1, 2 & 3 Certified Contactless Card Reader
- ▶ High Speed SAM Controller
- ▶ Wall Mount and Pole Mount Support
- ▶ High-performance 2D Image Engine able to read a mobile phone screen

Flownex CTV Lite is a compact ticket validator designed for transit, parking, and entertainment venues. Featuring a 6.5-inch display, it supports EMV, QR, NFC, and closed-loop cards to deliver secure, seamless transactions and quick access for passengers and visitors

# CONTACTLESS TICKET VALIDATOR

## FLOWNEX CTV - LITE



# CONTACTLESS TICKET VALIDATOR

## FLOWNEX CTV - LITE

Specifications	Description
Software Platform	Secure Android 12
Processor	Quad-Core @ 2.0GHz
RAM	2GB LPDDR4
Storage	16GB flash
Display	6.5" multi-color LCD panel (720 x 1600)
Camera	Front-facing: 2MP FF
Card Readers	Contactless On Screen NFC contactless: ISO14443 A & B, MIFARE, Sony Felica
SAM	4 x SAM slots
Barcode Scanner	High Performance 1D/2D Barcode Scanner Engine
Cellular	LTE-4G with Nano SIM card slot
Connectivity	Wi-Fi, BT 5.0
COM Ports	RS232, RS485
USB	2 x USB-C Host and OTG
Audio	3W Speaker output
Power Input	9-45VDC, 2A
Environmental	<ul style="list-style-type: none"><li>Operating temperature: -10°C~50°C (14°F~ 122°F)</li><li>Storage temperature: -20°C~70°C (-4°F~ 158°F)</li><li>Relative humidity (non-condense): 5% ~ 95%</li></ul>
Dimensions	260 mm (L) x 140 mm (B) x 90 mm (W)